According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid[®] sensitive wipes

Version	Revision Date:
06.06	26.08.2022

No Change Service!

Date of last issue: 06.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	mikrozid® sensitive wipes
1.2 Relevant identified uses of th	e s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Disinfectants
Recommended restrictions on use	:	For professional users only.
1.3 Details of the supplier of the	saf	ety data sheet
Producer	:	Schülke & Mayr GmbH Robert-Koch-Str. 2
		22851 Norderstedt Germany Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318 mail@schuelke.com www.schuelke.com
Supplier	:	Schülke & Mayr UK Ltd. Cygnet House 1, Jenkin Road, Meadowhall Sheffield S9 1AT United Kingdom Telephone: +44 114 254 35 00
		Telefax: +44 114 254 35 00 mail.uk@schulke.com
E-mail address of person responsible for the SDS/Contact person	:	Application Specialists +49 (0)40/ 521 00 666 AD@schuelke.com (Schülke & Mayr UK Ltd.: +44-1142543500)
1.4 Emergency telephone numbe	r	
Emergency telephone num- ber	:	Carechem 24 International:+44 1235 239670
SECTION 2: Hazards identifica	atio	on

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid[®] sensitive wipes

	Version 06.06	Revision Date: 26.08.2022	Date of last issue: 06.01.2022
_		re (abrania) agustia barard Ca	

No Change Service!

Long-term (chronic) aquatic hazard, Category 3 fe

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard statements	:	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Aqueous containing solution on non-woven
Chemical hature	•	Aqueous containing solution on non-wover

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No. Registration number		
Quaternary ammonium compounds, C12-14- alkyl[(ethylphenyl)methyl]dimethyl, chlorides	85409-23-0 287-090-7 01-2120771812-51- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0.1 - < 0.25
didecyldimethylammonium chloride	7173-51-5 230-525-2 612-131-00-6 01-2119945987-15- XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1;	>= 0.1 - < 0.25

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

mikrozid® sensitive wipes

No Change Service!

VersionRevision Date:Date of last issue: 06.01.202206.0626.08.2022

		H400 Aquatic Chronic 2; H411 M-Factor (Acute	
		aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlo- rides	68424-85-1 270-325-2 01-2119965180-41- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Take off contaminated clothing and shoes immediately.
If inhaled	: If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. If symptoms persist, call a physician.
In case of eye contact	: Flush eyes with water as a precaution. If eye irritation persists, consult a specialist.
If swallowed	: Do NOT induce vomiting. Drink water as a precaution. Consult a physician if necessary.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	For specialist advice physicians should contact the Poisons
		Information Service.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid[®] sensitive wipes

VersionRevision Date:06.0626.08.2022

No Change Service!

Date of last issue: 06.01.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Dry powder Carbon dioxide (CO2) Water spray jet Foam
Unsuitable extinguishing media	:	Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	No special precautions required.
Advice on protection against fire and explosion	:	No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store at room temperature in the original container.
Further information on stor-	:	Keep container tightly closed. Protect from frost, heat and

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid[®] sensitive wipes No Change Service! Revision Date: Version Date of last issue: 06.01.2022 06.06 26.08.2022 age conditions sunlight. Recommended storage temperature: 15 - 25°C Advice on common storage : Keep away from food and drink. 7.3 Specific end use(s) Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Quaternary ammoni- um compounds, C12- 14- al- kyl[(ethylphenyl)meth yl]dimethyl, chlorides	Workers	Inhalation	Long-term systemic effects	1 mg/m3
didecyldime- thylammonium chlo- ride	Workers	Inhalation	Acute systemic ef- fects, Long-term systemic effects	5.39 mg/m3
	Workers	Dermal	Acute systemic ef- fects, Long-term systemic effects	1.55 mg/kg
Quaternary ammoni- um compounds, ben- zyl-C12-16- alkyldimethyl, chlo- rides	Workers	Skin contact	Long-term systemic effects	5.7 mg/kg
	Workers	Inhalation	Long-term systemic effects	3.96 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Quaternary ammonium com- pounds, C12-14- al- kyl[(ethylphenyl)methyl]dimethyl, chlorides	Fresh water	0.000415 mg/l
	Marine water	0.000042 mg/l
	Sewage treatment plant	0.21 mg/l
	Fresh water sediment	6.81 mg/kg
	Marine sediment	0.681 mg/kg
	Soil	1.36 mg/kg
didecyldimethylammonium chlo- ride	Fresh water	0.002 mg/l
	Marine water	0.0002 mg/l
	Fresh water sediment	2.83 mg/kg
	Marine sediment	0.28 mg/kg

Z40000250_01 ZSDB_P_GB EN

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

mikrozid® sensitive wipes

Version 06.06 Revision Date: 26.08.2022

No Change Service!

Date of last issue: 06.01.2022

	Sewage treatment plant	0.595 mg/l
	Soil	1.4 mg/kg
Quaternary ammonium com- pounds, benzyl-C12-16- alkyldimethyl, chlorides	Fresh water	0.0009 mg/l
	Marine water	0.00009 mg/l
	Fresh water sediment	12.27 mg/kg
	Marine sediment	13.09 mg/kg
	Soil	7 mg/kg
	Effects on waste water treatment plants	0.4 mg/l
	Intermittent use/release	0.00016 mg/l

8.2 Exposure controls

Personal protective equipment

Hand protection Directive	:	The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	:	Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protec- tion.
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Protective measures	:	Avoid contact with eyes.


SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	Aqueous containing solution on non-woven
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	not determined
рН	:	5 - 8 (20 °C) Concentration: 100 % of the active solution
Melting point/freezing point	:	ca. 0 °C of the active solution
Decomposition temperature		Not applicable
Boiling point/boiling range	:	ca. 100 °Cof the active solution

schülke ->

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



schülke ->

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes

Version	Revision Date:
06.06	26.08.2022

No Change Service!

Date of last issue: 06.01.2022

10.5 Incompatible materials

Materials to avoid

: None reasonably foreseeable.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
		Method: Calculation method

Components:

Acute oral toxicity	:	LD50 (Rat): 344 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): 2,300 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Acute oral toxicity	:	LD50 (Rat): 238 mg/kg Method: OECD Test Guideline 401 Assessment: Toxic if swallowed.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): 3,342 mg/kg

Acute oral toxicity	:	LD50 (Rat): > 300 - 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: Harmful if swallowed.
Acute inhalation toxicity	:	LC50 (Rat): > 2 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 1,100 mg/kg Assessment: Harmful in contact with skin.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes

Version	Revision Date:
06.06	26.08.2022

No Change Service!

Date of last issue: 06.01.2022

Skin corrosion/irritation

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Species Result	:	Rabbit
Result	:	Corrosive after 3 minutes to 1 hour of exposure

didecyldimethylammonium chloride:

Species Exposure time Method Result	: Rabbit
Exposure time	: 4 h
Method	: OECD Test Guideline 404
Result	: Corrosive after 3 minutes to 1 hour of exposure

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Species Result GLP	:	Rabbit
Result	:	Corrosive after 3 minutes to 1 hour of exposure
GLP	:	no

Serious eye damage/eye irritation

Not classified based on available information.

Components:

didecyldimethylammonium chloride:				
Result	: Irreversible effects on the eye			

Quaternary ammo	nium compounds, benzyl-C12-16-alkyldimethyl, chlorides:
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

Test Type Species Method Result GLP	: Buehler Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: yes
	-

Test Type	:	Buehler Test

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes No Change Service!

Version	Revision Date:	Date of last issue: 06.01.2022
06.06	26.08.2022	

Species Method Result GLP	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	yes

Germ cell mutagenicity

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative GLP: yes
	Test Type: Chromosome aberration test in vitro Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: yes Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Genotoxicity in vitro	:	Test system: Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Oral Method: OECD Test Guideline 475 Result: negative
Germ cell mutagenicity- As- sessment	:	Animal testing did not show any mutagenic effects.

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse (male and female) Application Route: Oral Method: OECD Test Guideline 474 GLP: yes

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes

Version	Revision Date:	Date of last issue: 06.01.2022
06.06	26.08.2022	

Germ cell mutagenicity- As-	:	Tests on bacterial or mammalian cell cultures did not show
sessment		mutagenic effects.

No Change Service!

Carcinogenicity

П

Not classified based on available information.

Components:

Quaternary amn	onium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Remarks	: No data available

didecyldimethylammonium chloride:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects. ment

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects. ment

Reproductive toxicity

Not classified based on available information.

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Effects on fertility	 Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 51 - 102 mg/kg body weight General Toxicity F1: NOAEL: 51 - 102 mg/kg body weight GLP: ves
	GLP: yes

didecyldimethylammonium chloride:

Reproductive toxicity - As-	:	No data available
sessment		

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 51 - 102 mg/kg body weight General Toxicity F1: NOAEL: 41 - 83 mg/kg body weight Fertility: NOAEL: 139 - 198 mg/kg body weight Method: OECD Test Guideline 416 Result: Animal testing did not show any effects on fertility. GLP: yes
Effects on foetal develop-	:	Species: Rat

Version

06.06

mikrozid® sensitive wipes

Revision Date:

26.08.2022

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

20.00.2022	
ment	Application Route: Oral General Toxicity Maternal: NOAEL: 8.1 mg/kg body weight Developmental Toxicity: NOAEL: 81 mg/kg body weight Method: OECD Test Guideline 414 GLP: yes Remarks: Animal testing did not show any effects on foetal development.
STOT - single exposure	
Not classified based on availab	ble information.
Components:	
Quaternary ammonium com	oounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Remarks	: No data available
didecyldimethylammonium o	chloride:
Remarks	: No data available
	counds, benzyl-C12-16-alkyldimethyl, chlorides: No data available
Remarks	
STOT - repeated exposure Not classified based on availab	ble information.
<u>Components:</u>	
	oounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Remarks	: No data available
didecyldimethylammonium o	·bloride·
Remarks	: No data available
Quaternary ammonium com	oounds, benzyl-C12-16-alkyldimethyl, chlorides:
Remarks	: No data available
Repeated dose toxicity	
Components:	
Quaternary ammonium com	oounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Remarks	: No data available
didecyldimethylammonium o	
Remarks	: No data available
Quaternary ammonium com	oounds, benzyl-C12-16-alkyldimethyl, chlorides:
Species	: Rat, male
NOAEL	: 31 mg/kg
40000250_01 ZSDB_P_GB EN	Page 12/19

No Change Service!

Date of last issue: 06.01.2022

schülke ->

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes

No Change Service!

Version	Revision Date:	Date of last issue: 06.01.2022
06.06	26.08.2022	

Application Route Exposure time Method GLP	:	Oral 90-day OECD Test Guideline 408 yes
Species NOAEL Application Route Exposure time Method	:	Rat 214 mg/kg Oral 14-days OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity


Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Toxicity to fish	:	LC50 (Fish): 1.06 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.015 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	10
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.032 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 0.00415 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) GLP: yes
M-Factor (Chronic aquatic toxicity)	:	1
didecyldimethylammonium	chle	oride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l Exposure time: 96 h GLP: yes

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



schülke ->

Toxicity to algae/aquatic plants	:	IC50 : 0.03 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox- icity)	:	10
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.032 mg/l Exposure time: 34 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.0042 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes

Version	Revision Date:
06.06	26.08.2022

No Change Service!

Date of last issue: 06.01.2022

12.2 Persistence and degradability

Components:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 95.5 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B
	Remarks: Based on data from similar materials

didecyldimethylammonium chloride:

Biodegradability	 Concentration: 10 mg/l Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 28 d Method: OECD 301B/ ISO 9439/ EEC 84/449 C5 GLP: yes
------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

biodegradable. 95.5 % 28 d Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Quaternary ammonium com	ро	unds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
II		

didecyldimethylammonium chloride:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunf Exposure time: 46 d Bioconcentration factor (BCF): 81

Bioaccumulation	:	Exposure time: 35 d Concentration: 0.076 mg/l Bioconcentration factor (BCF): 79 GLP: yes Remarks: Does not bioaccumulate.
Partition coefficient: n- octanol/water	:	log Pow: 2.75 (20 °C)

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



	nsitive wipes Revision Date: 6.08.2022	S No Change Service! Date of last issue: 06.01.2022
12.4 Mobility in soil	I	
Components:		
Quaternary am	imonium compou	nds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides:
Mobility	:	Medium: Soil Remarks: immobile
didecyldimethy	ylammonium chlo	oride:
Mobility	:	Remarks: Mobile in soils
Quaternary am	monium compou	nds, benzyl-C12-16-alkyldimethyl, chlorides:
Mobility	:	Remarks: No data available
12.5 Results of PBT	۲ and vPvB asses	sment
Product:		
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse	effects	
Product:		
Endocrine disru tial	pting poten- :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
SECTION 13: Dis	posal considera	tions
13.1 Waste treatme	nt methods	
Product	:	Can be incinerated or landfilled together with household waste

Product	:	Can be incinerated or landfilled together with household waste in compliance with the regulations, and after consultation with the waste disposal services.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1	UN	number

ADR	: No	ot regulated as a dangerous good
IMDG	: No	ot regulated as a dangerous good

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



<i>mikrozid</i> ® Version 06.06	Sensitive wipe Revision Date: 26.08.2022	PS No Change Service! Date of last issue: 06.01.2022		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper	r shipping name			
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport	hazard class(es)			
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing g	roup			
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Carç	go) :	Not regulated as a dangerous good		
IATA (Pas	senger) :	Not regulated as a dangerous good		
14.5 Environme	ental hazards			
Not regulated as a dangerous good				

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
Volatile organic compounds : Directive 2010/75/EU o	of 24 November 2010 on industrial

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



<i>mikr</i> Versic 06.06	rozid® sensitive on Revision D 26.08.2022	ate:	S No Change Service! Date of last issue: 06.01.2022			
			emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.11 %			
	ccording to Detergents egulation EC 648/2004	:	less than 5 %: Cationic surfactants			
т	The components of this product are reported in the following inventories:					
	CSI		On the inventory, or in compliance with the inventory			
Т	SCA	:	Product contains substance(s) not listed on TSCA inventory.			
A	IC	:	Not in compliance with the inventory			
D	SL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.			
			Quaternary ammonium compounds, C12-14- alkyl[(ethylphenyl)methyl]dimethyl, chlorides			
E	NCS	:	Not in compliance with the inventory			
IS	HL	:	Not in compliance with the inventory			
K	ECI	:	Not in compliance with the inventory			
P	CCS	:	Not in compliance with the inventory			
IE	CSC	:	On the inventory, or in compliance with the inventory			
N	ZIoC	:	Not in compliance with the inventory			
TI	ECI	:	On the inventory, or in compliance with the inventory			

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements						
H301	:	Toxic if swallowed.				
H302	:	Harmful if swallowed.				
H312	:	Harmful in contact with skin.				
H314	:	Causes severe skin burns and eye damage.				
H318	:	Causes serious eye damage.				
H400	:	Very toxic to aquatic life.				
H410	:	Very toxic to aquatic life with long lasting effects.				
H411	:	Toxic to aquatic life with long lasting effects.				
Full text of other abbreviations						
Acute Tox.	:	Acute toxicity				
Aquatic Acute	:	Short-term (acute) aquatic hazard				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Eye Dam.	:	Serious eye damage				

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



mikrozid® sensitive wipes No Change Service!

Version	Revision Date:	Date of last issue: 06.01.2022
06.06	26.08.2022	

Skin Corr.

Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure: Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.